

Instruction Manual

Aluminium Pet Ramp

30255, 30256, 30257, 30258, 30259, 30260



Illustration similar, may vary depending on model

Please read and follow the operating instructions and safety information prior to initial operation.

Technical changes reserved!

Illustrations, functional steps, and technical data may deviate insignificantly due to continuous further developments.

The information contained in this document may alter at any time without prior notice. No part of this document may be copied or otherwise duplicated without prior written consent. All rights reserved. WilTec Wildanger Technik GmbH cannot be held liable for any possible mistakes in this operating manual, nor in the diagrams and illustrations shown.

Although WilTec Wildanger Technik GmbH has made every possible effort to ensure that this operating manual is complete, accurate, and up-to-date, errors cannot be ruled out entirely.

If you have found an error or wish to suggest an improvement, we look forward to hearing from you.

Send us an e-mail to:

service@wiltec.info

or use our contact form:

<https://www.wiltec.de/contacts/>

The most recent version of this manual in several languages can be found in our online shop:

<https://www.wiltec.de/docsearch>

Our postal address is:

WilTec Wildanger Technik GmbH
Königsbenden 12
52249 Eschweiler Germany

To return your goods for exchange, repair, or other purposes, please use the following address. Attention! To allow for a trouble-free complaint or return, it is important to contact our customer service team before returning your goods.

Retourenabteilung
WilTec Wildanger Technik GmbH
Königsbenden 28
52249 Eschweiler Germany

E-mail: **service@wiltec.info**
Phone: +49 2403 55592-0
Fax: (+49 2403 55592-15)

Introduction

Thank you for choosing to purchase this quality product. To minimise the risk of injury, we ask you to always take some basic safety precautions when using this product. Please read this operating manual carefully and make sure that you understand it.

Keep these operation instructions in a safe place.

Technical specifications

Item number	Max. capacity (kg)	Size unfolded (mm)	Size folded (mm)
30255	110	1240 × 400 × 50	620 × 400 × 125
30256	110	1840 × 490 × 50	920 × 490 × 125
30257	110	2140 × 380 × 47	1050 × 400 × 125
30258	110	2130 × 480 × 50	1050 × 490 × 125
30259	110	2440 × 380 × 50	1230 × 400 × 125
30260	110	2440 × 480 × 50	1230 × 490 × 125

Warning

1. The maximum capacity of the ramp must not be exceeded.
2. This ramp is only intended and suitable for animals, it is not a toy. The ramp must not be used as spring apparatus, scaffold, bridge, ladder, or similar means.

Use

- To use the animal ramp, unfold it and place one end on the surface where the animal shall be transported (e.g., a vehicle). Place the lower end of the ramp on the floor.
- After use, re-fold the animal ramp and clamp the two parts together. Store the ramp in a suitable place.

Maintenance

1. Check the ramp and all components before each use. In case the ramp is damaged, it should NOT be used.
2. Maintenance and care are made by regular cleaning. Regularly lubricate the hinges.

Familiarising your pet with the ramp

- Some pets need a little training to familiarise themselves with the ramp before entering it.
- First, put the ramp flat on the floor so that the pet can get in touch with the ramp.
- With the pet at the leash, train entering the ramp. The ramp is flat on the floor unfolded – encourage the pet with dainties.
- Gradually lift the ramp.
- Distribute the dainties on the ramp to encourage the pet as soon as it is willing to enter the vehicle.
- In case the pet avoids the surface of the ramp, cover it with a blanket.
- Compliment and encourage the pet to enter the ramp, yet never force it to do so.

Important Note: Reproduction and any commercial use (of parts) of this operating manual, requires a written permission of WilTec Wildanger Technik GmbH.