

Operation Manual

Pool Pump SPP150E, SPP200E, SPP250E 50919, 50920, 50921



Illustration similar, may vary depending on model

Read and follow the operating instructions and safety information before using for the first time.

Technical changes reserved!

Due to further developments, illustrations, functioning steps, and technical data can differ insignificantly.

Updating the documentation

If you have suggestions for improvement or have found any irregularities, please contact us.



The information contained in this document may alter at any time without previous notice. It is prohibited to copy or spread any parts of this document in any way without prior written allowance. All rights reserved.

The WilTec Wildanger Technik GmbH cannot be held accountable for any possible mistakes in this operating manual, nor in the diagrams and figures shown.

Even though, the WilTec Wildanger Technik GmbH has undergone biggest possible efforts to ensure that the operating manual is complete, faultless, and up to date, mistakes cannot be entirely avoided.

If you should find a mistake or wish to make a suggestion for improvement, we look forward to hearing from you.

Send an e-mail to:

service@wiltec.info

or use our contact form:

<https://www.wiltec.de/contacts/>

The most recent version of this manual in various languages can be found in our online shop via:

<https://www.wiltec.de/docsearch>

Our postal address is:

WilTec Wildanger Technik GmbH
Königsbenden 12
52249 Eschweiler
Germany

To return orders for exchange, repair, or other purposes, please use the following address. Attention! To allow for a smooth execution of your complaint or return, it is important to contact our customer service team before returning the goods.

Returns Department
WilTec Wildanger Technik GmbH
Königsbenden 28
52249 Eschweiler

E-mail: **service@wiltec.info**

Tel: +49 2403 55592-0

Fax: +49 2403 55592-15



Introduction

Thank you for purchasing this quality product. **To minimise the risk of injury we urge that our clients take some basic safety precautions when using this device. Please read the operation instructions carefully and make sure you have understood its content.**

Keep these operation instructions safe.

Features

- Pump body, pump cover and impeller are made of high-quality plastic
- Big outlet, high lift, low noise
- Good mechanical seal and durable.
- With over load protection to ensure long lasting working
- With simple suction and discharge pipes.

Application

These water pumps are designed for the circulation and filtration of the small swimming pools (family use), whirl pools and Sauna pools.

Caution!

- For swimming pools and garden ponds and in its protection zone, the use of the pump is only permitted with fault current circuit breaker (30 mA) according to DIN VDE 100 part 702 06.92. Please contact a qualified electrician if you have any questions.
- Keep a safe distance to the pool and fix the pump on a stable base plate. According to VDE standard is observed a safety distance of 2 m.
- The pump has a built-in motor protection switch. We do not take over any liability for losses through unsuitable use or faulty assembly. The power cable must conform to EC standards (2) or the type Ho7 RN-F according to VDE 0620.

Checks before start-up

1. Make sure that the voltage and frequency of power supply and pump (see nameplate) are suitable.
2. Make sure that the pump shaft may rotate freely.
3. Fill the pump with water to make sure that the pump body, filter basket, pipes and other connectors are not leaking. Tighten or loose the screws with hands, or tools if necessary.
4. Open any existing valves in pressure and suction lines and check that all hoses are connected.
5. Please fill the suction pipe and the pump body completely with water.
6. The pump is suitable for clean water with a temperature of max. 35 °C.

Power supply

Use the pump only on a three-pole socket with 230 V/50 Hz.



Mounting

- To avoid long suction lines and the resulting power losses the pump should be installed at the level of the water table or below the water level.
- It is possible to assemble the pump to the ground. Please use the provided holes in the base plate to install the pump on a flat surface.
- The pumps shall be placed in a well ventilated, dry, and flood-proof place.

Placing the hoses

- The suction hose must be low pressure resistant. Please install it at least 30 cm below the water level. This is necessary to avoid vortex formation and through this caused air inlet in the system.
- The pipe connections must be 100 % airtight. Pipe bends and a wavy placing of the hoses must be avoided if possible. The sucking line should have a minimum descent of 2 % on its complete length so that no air can remain in the system.
- The pressure hose should have a diameter at least as large as the diameter of the pressure joint.
- The hoses may not lay on the pump. Make sure that all connections are tight so that the pump does not come in contact with moisture. The pump could be damaged through water!


Start-up

- Fill the pump with water to make sure that the pump body, filter basket, pipes and other connectors are not leaking. Tighten or loose the screws with hands, or tools if necessary.
- Open any existing valves in pressure and suction lines and check that all hoses are connected.
- Please fill the suction pipe and the pump body completely with water.
- Plug in the pump and check that the water pump circulates.
- If the pump is used above the water level of the pool, you must use a foot valve at the suction hose to avoid that the water runs back in the pool when you do not use the pump.
- Switch of the pump, when the engine does not start or not water is promoted. In this case check if something is blocking the water flow.
- Do not run the pump without water in the pump body. This would damage the mechanical seal and in this case the pump would leaking.
- Please do not work on the pump while the pump is running!
- If you have any problems which are not mentioned in the manual or which you could not explain please contact an expert.

Maintenance

Our electric pumps require no special maintenance. Please clean regularly the dirt container. During the cold season, and at longer shut-down of the pump the pump body should be emptied. Please clean the pump thoroughly with clean tap water to remove all residues of chlorine and other pool stuff. If you do not clean the pump thoroughly this could damage the seal and causes leaks when you use the pump again.

Technical specifications



Modell	SPP150E	SPP200E	SPP250E
Item number	50919	50920	50921
Voltage (V)	230		
Frequency (Hz)	50		
Power (W)	750 (1 hp)	1300 (1.75 hp)	1500 (2 hp)
Max. lifting height (m)	16	17	18
Max. flow rate (ℓ/h)	19,200	28,200	33,600
Max. particle size (mm)	2.5		
Max. pressure (bar)	1.6	1.7	1.8
Temperature range (°C)	0–60		
Protection class	IP 54		
Connections (mm)	Fitting	inner ∅ 50, outer ∅ 56	
	Thread	65	

Disposal regulations

EU guidelines regarding the disposal of scrap electric appliances (WEEE, 2012/19/EU) were implemented in the law related to electrical and electronic equipment and appliances.

All WiTec electric devices that fall under the WEEE regulations are labelled with the crossed-out wheeled waste bin logo. This logo indicates that this electric equipment must not be disposed with the domestic waste.

The company WiTec Technik GmbH has been registered in the German registry EAR under the WEEE-registration number DE45283704.

Disposal of used electrical and electronic appliances (intended for use in the countries of the European Union and other European countries with a separate collection system for these appliances).

The logo on the article or on its packaging points out that this article must not be treated as normal household waste but must be disposed to a recycling collection point for electronic and electrical waste equipment. By contributing to the correct disposal of this article you protect the environment and the health of your fellow men. Environment and health are threatened by inappropriate disposal.



Material recycling helps reduce the consumption of raw materials.

Additional information on recycling this article can be provided by your local community, municipal waste disposal facilities, or the store where you purchased the article.

Address:
WiTec Wildanger Technik GmbH
Königsbenden 12 / 28
D-52249 Eschweiler

Important notice:

The reprint or reproduction, even of excerpts, and any commercial use, even in part, of this instruction manual require the written permission of WiTec Wildanger Technik GmbH.