

User's Manual

Wall Letterbox

60024, 60025, 60026, 60027, 60028, 60029, 60149, 60150, 60151, 60152, 60153, 60154, 60155,
60156, 60157, 60158, 60159, 60160, 60161, 60162, 60163, 60164, 60165, 60166, 60167, 60168



Illustration similar, may vary depending on model

Read and follow the operating instructions and safety information before using for the first time.

Technical changes reserved!

Illustrations, functional steps, and technical data may deviate insignificantly due to continuous further developments.

Updating the documentation

If you have suggestions for improvement or have found any irregularities, please contact us.



The information contained in this document may alter at any time without prior notice. No part of this document may be copied or otherwise duplicated without prior written consent. All rights reserved. WilTec Wildanger Technik GmbH cannot be held liable for any possible mistakes in this operating manual, nor in the diagrams and illustrations shown.

Although WilTec Wildanger Technik GmbH has made every possible effort to ensure that this operating manual is complete, accurate, and up-to-date, errors cannot be ruled out entirely.

If you have found an error or wish to suggest an improvement, we look forward to hearing from you. Send us an e-mail to:

service@wiltec.info

or use our contact form:

<https://www.wiltec.de/contacts/>

The most recent version of this manual in several languages can be found in our online shop:

<https://www.wiltec.de/docsearch>

Our postal address is:

WilTec Wildanger Technik GmbH
Königsbenden 12
52249 Eschweiler – Germany

To return your goods for exchange, repair, or other purposes, please use the following address. Attention! To allow for a trouble-free complaint or return, it is important to contact our customer service team before returning your goods.

Retourenabteilung
WilTec Wildanger Technik GmbH
Königsbenden 28
52249 Eschweiler – Germany

E-mail: **service@wiltec.info**

Tel: +49 2403 55592-0

Fax: +49 2403 55592-15

Introduction


Thank you for choosing to purchase this quality product. To minimise the risk of injury, we ask you to always take some basic safety precautions when using this product. Please read this operating manual carefully and make sure that you understand it. Keep these operation instructions in a safe place.

Scope of delivery

2× key
4× screw
4× dowel
4× spacer

Information

The installation material included is suitable for strong masonry, e.g., concrete walls or brickwork. Check – before installing the letterbox – if the installation material is appropriate for your masonry. Use other installation material if necessary.



Mounting

1. Choose the right position for your letterbox, if possible, it should be weatherproof.
2. Mark the holes to be drilled.
3. Drill the holes for the dowels.
4. Completely insert the dowels into the holes.
5. Now install the letterbox. Be sure to use the spacers to ensure that the letterbox can be opened properly.



Note: The spacers used may create the impression that the screws are not tight enough. Please ensure that you do not compress them too much during assembly, otherwise the mailbox cannot be opened properly. If this is the case, loosen the screws again a little.

Important Note:

Reproduction and any commercial use (of parts) of this operating manual, requires a written permission of WilTec Wildanger Technik GmbH.