

Operation Manual

Car Safety Guards for Dogs

61945




Illustration similar, may vary depending on model

Read and follow the operating instructions and safety information before using for the first time.

Technical changes reserved!

Due to further developments, illustrations, functioning steps, and technical data can differ insignificantly.

Updating the documentation

If you have suggestions for improvement or have found any irregularities, please contact us.

The information contained in this document may alter at any time without previous notice. It is prohibited to copy or spread any parts of this document in any way without prior written allowance. All rights reserved.

The WilTec Wildanger Technik GmbH cannot be held accountable for any possible mistakes in this operating manual, nor in the diagrams and figures shown.

Even though, the WilTec Wildanger Technik GmbH has undergone biggest possible efforts to ensure that the operating manual is complete, faultless, and up to date, mistakes cannot be entirely avoided.

If you should find a mistake or wish to make a suggestion for improvement, we look forward to hearing from you.

Send an e-mail to:

service@wiltec.info

or use our contact form:

<https://www.wiltec.de/contacts/>

The most recent version of this manual in various languages can be found in our online shop via:

<https://www.wiltec.de/docsearch>

Our postal address is:

WilTec Wildanger Technik GmbH
Königsbenden 12
52249 Eschweiler
Germany

To return orders for exchange, repair, or other purposes, please use the following address. Attention! To allow for a smooth execution of your complaint or return, it is important to contact our customer service team before returning the goods.

Returns Department
WilTec Wildanger Technik GmbH
Königsbenden 28
52249 Eschweiler

E-mail: **service@wiltec.info**


Tel: +49 2403 55592-0

Fax: +49 2403 55592-15

Introduction

Thank you for purchasing this quality product. **To minimise the risk of injury we urge that our clients take some basic safety precautions when using this device. Please read the operation instructions carefully and make sure you have understood its content.** Keep these operation instructions safe.

Scope of delivery



Letter	Name
A	Vertical bracing (2 pieces)
B	Plastic clips (8 pieces)
C	Horizontal strut (4 pieces)
D	End bracket (4 pieces)
E	Plastic hooks (2 short pieces / 2 long pieces)
F	Screw M6×60 (2 pieces)
G	Screw attachment (2 pieces)

Assembly



Step 1

Slide each 4 plastic clamp brackets (**B**) over the vertical bracing (**A**). Then slide two horizontal braces (**C**) and two end brackets (**D**) into each other, opposite each other.



Step 2

Now press the horizontal braces (**C**) that you have just mounted into the slid-on plastic clamp bracket (**B**).



Step 3

Insert the screws (**F**) through the screw attachments (**G**) and then through the lowest hole of the vertical bracing (**A**). Then, depending on the vehicle construction, select the plastic hooks (**E**) and screw them onto the screws (**F**).



The dog guard is now ready to be mounted in the vehicle.



- Hook the plastic hooks (**E**) onto the headrest rods and tighten the screw tops (**G**).
- You can now move the horizontal bracing (**C**) to the desired height and pull out the end brackets (**D**) to the desired width.
- Then tighten the screw ends of the plastic clamp brackets (**B**).

Important notice:

The reprint or reproduction, even of excerpts, and any commercial use, even in part, of this instruction manual require the written permission of WilTec Wildanger Technik GmbH.