Operation Manual

Foldable Workbench





Illustration similar, may vary depending on model

Read and follow the operating instructions and safety information before using for the first time.

Technical changes reserved!

Due to further developments, illustrations, functioning steps, and technical data can differ insignificantly.

Updating the documentation

If you have suggestions for improvement or have found any irregularities, please contact us.





The information contained in this document may alter at any time without previous notice. It is prohibited to copy or spread any parts of this document in any way without prior written allowance. All rights reserved.

The WilTec Wildanger Technik GmbH cannot be held accountable for any possible mistakes in this operating manual, nor in the diagrams and figures shown.

Even though, the WilTec Wildanger Technik GmbH has undergone biggest possible efforts to ensure that the operating manual is complete, faultless, and up to date, mistakes cannot be entirely avoided. If you should find a mistake or wish to make a suggestion for improvement, we look forward to hearing from you.

Send an e-mail to:

service@wiltec.info

or use our contact form:

https://www.wiltec.de/contacts/

The most recent version of this manual in various languages can be found in our online shop via:

https://www.wiltec.de/docsearch

Our postal address is:

WilTec Wildanger Technik GmbH Königsbenden 12 52249 Eschweiler Germany

To return orders for exchange, repair, or other purposes, please use the following address. Attention! To allow for a smooth execution of your complaint or return, it is important to contact our customer service team before returning the goods.

Returns Department WilTec Wildanger Technik GmbH Königsbenden 28 52249 Eschweiler

E-mail: service@wiltec.info

Tel: +49 2403 55592-0 Fax: +49 2403 55592-15





Introduction

Thank you for purchasing this quality product. To minimise the risk of injury we urge that our clients take some basic safety precautions when using this device. Please read the operation instructions carefully and make sure you have understood its content.

Keep these operation instructions safe.

Important safety instructions

Carefully read the instructions and keep them in a safe place so that you can refer to them at any time.

- When assembling the workbench, make sure that the plastic feet are correctly attached to the frame.
- Make sure that all bolts and screws attached to the bench are securely tightened before each
 use.
- If the workbench is collapsed while in storage, the hexagon bolts may need to be loosened before collapsing. **Note:** Make sure that the hexagon screws are tightened again before each use.
- Always keep your work area tidy and well lit. Untidy and too dark work areas increase the risk
 of accidents.
- Do not leave tools or other materials on the workbench when not in use.
- Never use the workbench as a stepladder.
- Never stand, sit, or kneel on the workbench assembled.
- Never exceed the maximum load capacity of the workbench of 100 kg (220 lbs).
- Always place heavy loads gently on the work surface so that the load can be absorbed gradually.

Workbench assembly instructions

1st step: mounting the worktop

- Connect the bars and worktops with inward-facing notches using wood screws.
- 2. Connect the movable feet to the rails with bolts (M8×14), nuts (M8×P1.2), and washers (16×8×1.2).




2nd step: mounting the base frame and crossbars


- 1. Connect the crossbars and the base frame using bolts (M6×P1×35), washers (13×6×1.2), and nuts (M6×P1).
- 2. Connect the horizontal bar to the base using screws (M5×12), washers (5×0.8), and nuts (M6×P1).











3rd step: attaching the base frame to the worktop

- 1. Unfold the feet of the base frame so that the frame can stand up by itself. Then close and lock the locking latches attached to the base frame. Make sure that the latches are secure.
- 2. Place the pre-assembled worktop with bars and movable feet on the floor so that the movable feet are vertical or at a 90° angle.
- 3. Turn the pre-assembled base frame with crossbars and horizontal rods over so that the frame feet point upwards. Then slide the frame onto the movable feet.
- 4. Secure the worktop to the base with U-shaped studs.







4th step: attaching the plastic feet to the base frame

- Turn the assembled workbench over and place it on the floor.
- 2. The longest edge of each plastic foot must be attached to the outside corner.



5th step: workpieces/tools

Choose suitable holes on the worktop for attaching workpieces or tools.






Parts list and exploded view

| Figure | Name | Quantity |
|--------|------------------------|----------|
| | Worktop | 2 |
| | Slide rail base | 2 |
| | Movable feet | 2 |
| | Horizontal bar | 1 |
| | Base frame | 2 |
| | Crossbars | 2 |
| | Plastic feet Wedges | 4 |
| | vveuges | 4 |
| 1 | Bolt M6×P1×35 mm | 8 |
| (=== | Bolt M5×12 mm | 2 |
| Commo | Bolt M8×14 mm | 4 |
| | Bolt M5×12 | 2 |
| | Wood screw | 16 |
| | Washer 16×8×1.2 | 8 |
| 0 | Washer 13×6×1.2 | 16 |
| 0 | Washer 5×0.8 | 6 |
| 00000 | Nut M8×P1.2 | 4 |
| 0 | Nut M6×P1 | 8 |
| 9 | Nut M5×P1 | 4 |
| | U-shaped stud | 2 |







Important notice: