

# Operation Manual

## Aluminium Kayak Trolley

62638, 62639

# toboli



Illustration similar, may vary depending on model

Please read and follow the operating instructions and safety information prior to initial operation.

Technical changes reserved!

Illustrations, functional steps, and technical data may deviate insignificantly due to continuous further developments.



The information contained in this document may alter at any time without prior notice. No part of this document may be copied or otherwise duplicated without prior written consent. All rights reserved.

WilTec Wildanger Technik GmbH cannot be held liable for any possible mistakes in this operating manual, nor in the diagrams and illustrations shown.

Although WilTec Wildanger Technik GmbH has made every possible effort to ensure that this operating manual is complete, accurate, and up-to-date, errors cannot be ruled out entirely.

If you have found an error or wish to suggest an improvement, we look forward to hearing from you.

Send us an e-mail to:

[service@wiltec.info](mailto:service@wiltec.info)

or use our contact form:

<https://www.wiltec.de/contacts/>

The most recent version of this manual in several languages can be found in our online shop:

<https://www.wiltec.de/docsearch>

Our postal address is:

WilTec Wildanger Technik GmbH  
Königsbenden 12  
52249 Eschweiler Germany

To return your goods for exchange, repair, or other purposes, please use the following address. Attention! To allow for a trouble-free complaint or return, it is important to contact our customer service team before returning your goods.

Retourenabteilung  
WilTec Wildanger Technik GmbH  
Königsbenden 28  
52249 Eschweiler Germany

E-mail: **service@wiltec.info**





Phone: +49 2403 55592-0

Fax: (+49 2403 55592-15)

## Introduction

Thank you for choosing to purchase this quality product. To minimise the risk of injury, we ask you to always take some basic safety precautions when using this product. Please read this operating manual carefully and make sure that you understand it. Keep these operation instructions in a safe place.

## Parts list

Name	Quantity	Figure
Frame	2	
Axle assembly with pins	1	
Wheel	2	
Belt	2	

## Assembly

1. Remove the round axle from the axle sleeve.



2. Loosen the knobs on the clamping block.



3. Slide the square axle through the hole in the clamping block. Slightly open the clamping block if necessary.



4. Repeat steps 1–3 to fit the other end of the axle to the clamping block.



5. Adjust the clamping block on the axle sleeve. The scales on the axle sleeve can help. Tighten the knobs on both clamping blocks.



6. Fit the round axle into the axle sleeve and lock the pins.



7. Loosen and remove pins on the round axle. Fit the wheels on the axle. Lock the pins on the round axle.



### Operation

1. Place the kayak onto the cart with its weight centered on the cart.
2. Use the tie-down strap to secure the kayak to the cart.

Important Note:

Reproduction and any commercial use (of parts) of this operating manual, requires a written permission of WilTec Wildanger Technik GmbH.