

# User's manual

## Rivet Nut Pliers

62982



Illustration similar, may vary depending on model

Read and follow the operating instructions and safety information before using for the first time.

Technical changes reserved!

Illustrations, functional steps, and technical data may deviate insignificantly due to continuous further developments.

Updating the documentation

If you have suggestions for improvement or have found any irregularities, please contact us.



The information contained in this document may alter at any time without prior notice. No part of this document may be copied or otherwise duplicated without prior written consent. All rights reserved. WilTec Wildanger Technik GmbH cannot be held liable for any possible mistakes in this operating manual, nor in the diagrams and illustrations shown.

Although WilTec Wildanger Technik GmbH has made every possible effort to ensure that this operating manual is complete, accurate, and up-to-date, errors cannot be ruled out entirely.

If you have found an error or wish to suggest an improvement, we look forward to hearing from you.

Send us an e-mail to:

[service@wiltec.info](mailto:service@wiltec.info)

or use our contact form:

<https://www.wiltec.de/contacts/>

The most recent version of this manual in several languages can be found in our online shop:

<https://www.wiltec.de/docsearch>

Our postal address is:

WilTec Wildanger Technik GmbH  
Königsbenden 12  
52249 Eschweiler Germany

To return your goods for exchange, repair, or other purposes, please use the following address. Attention! To allow for a trouble-free complaint or return, it is important to contact our customer service team before returning your goods.

Retourenabteilung  
WilTec Wildanger Technik GmbH  
Königsbenden 28  
52249 Eschweiler Germany

E-mail: **service@wiltec.info**

Tel: +49 2403 55592-0

Fax: +49 2403 55592-15



## Introduction

Thank you for choosing to purchase this quality product. To minimise the risk of injury, we ask you to always take some basic safety precautions when using this product. Please read this operating manual carefully and make sure that you understand it.

Keep these operation instructions in a safe place.

## Safety instructions

- During work, wear appropriate protective equipment.
- Only use the device according to the intended use defined in this manual. Any improper use can lead to material damage and personal injury.
- Do not modify the device and only use original spare parts.
- Only use the device in a well-lit and tidy zone. A cluttered and poorly lit workplace increases the risk of accidents.
- Keep children away from the device to make sure that they do not play with it.
- Do not use the device if it has damaged parts.

## Parts list

Name	Quantity	Size
Rivet nut pliers	1	328 mm
Flat wrench	1	–
Bits	5	M5/M6/M8/M10/M12
Bolts	5	M5/M6/M8/M10/M12
Rivet nuts	150	30 × M5/M6/M8/M10/M12

## Removing a bolt

1. Unscrew the plastic screw.
2. Remove the end nut from the bolt.
3. Remove the upper nut (nose nut).
4. Pull out the bolt at the top.
5. Remove the small spring from the bolt.

## Attaching a bolt

1. Attach the small spring to the correct place of the bolt.
2. Insert the bolt into the upper bushing until only the end of it is sticking out.
3. Screw the nut (nose nut) into the bushing at the top.
4. Screw the end nut into the end of the bolt.
5. Set the end of the bolt into the hole of the nut, then press the bolt down.

## Use

1. Choose a rivet nut of the desired size and place its end onto the bolt.
2. Hold the rivet nut and turn the lower plastic screw clockwise. Thus, the bolt is inserted into the rivet nut.



- 
3. Now insert the rivet nut into the hole of the sheet; the head of the rivet nut needs to be placed against the sheet. Then press the two handles of the pliers together to fix the rivet nut into the sheet.
  4. Release the handles of the pliers and turn the plastic screw anticlockwise to remove the bolt from the rivet nut.

**Important Note:**

Reproduction and any commercial use (of parts) of this operating manual, requires a written permission of WilTec Wildanger Technik GmbH.