

Operating instructions

Pool Cover/Winter Cover

64827–64831

wiltec



Illustration similar, may vary depending on model

Read and follow the operating instructions and safety information prior to initial operation.

Technical changes reserved!

Illustrations, functional steps, and technical data may deviate insignificantly due to continuous further developments.

Updating the documentation

If you have suggestions for improvement or have found any irregularities, please contact us.



The information contained in this document may alter at any time without prior notice. No part of this document may be copied or otherwise duplicated without prior written consent. All rights reserved.

WilTec Wildanger Technik GmbH cannot be held liable for any possible mistakes in this operating manual, nor in the diagrams and illustrations shown.

Although WilTec Wildanger Technik GmbH has made every possible effort to ensure that this operating manual is complete, accurate, and up-to-date, errors cannot be ruled out entirely.

If you have found an error or wish to suggest an improvement, we look forward to hearing from you.

Send us an e-mail to:

service@wiltec.info

or use our contact form:

<https://www.wiltec.de/contacts/>

The most recent version of this manual in several languages can be found in our online shop:

<https://www.wiltec.de/docsearch>

Our postal address is:

WilTec Wildanger Technik GmbH
Königsbenden 12
52249 Eschweiler – Germany

To return your goods for exchange, repair, or other purposes, please use the following address. Attention! To allow for a trouble-free complaint or return, it is important to contact our customer service team before returning your goods.

Retourenabteilung
WilTec Wildanger Technik GmbH
Königsbenden 28
52249 Eschweiler – Germany

E-mail: **service@wiltec.info**

Tel: +49 2403 55592-0

Fax: +49 2403 55592-15



Introduction

Thank you for choosing to purchase this quality product. To minimise the risk of injury, we ask you to always take some basic safety precautions when using this product. Please read this operating manual carefully and make sure that you understand it. Keep these operation instructions in a safe place.



Warning notices

To avoid drowning, do the following:

- Do not use this cover on the pool unless the area around the pool is fully fenced or the pool door is not closed.
- Do not walk on the cover and keep children away. Supervise children at all times – this cover is not intended to support people or their body weight.
- Completely remove the cover before swimming. Children or objects cannot be seen under the cover. **Danger of suffocation!**
- Remove any water on the cover. Children can drown on the cover.
- Unprotected or inadequately protected covers are dangerous.
- This is not a security cover.
- Never swim under the cover.

Please follow these instructions. Failure to comply can affect your warranty.

- Always follow the installation instructions in this manual.
- The chlorine value must not exceed the normal value too much.
- The cover is mainly designed for winter use.
- Increase UV radiation leads to precipitate material fatigue.
- The cover is not waterproof. Rain or snow can get into the pool water.
- Control the water level and make sure that it is not larger than the built-in parts.
- Use a winter protecting agent to prevent algae from forming.
- Prevent damages caused by frost by using ice softening cushions or winter cushions under the cover.

Preparation for the use of the winter cover

Pool

- Use a suitable winter protection product at the recommended dose. Drain the water down to below the built-in parts (winter lowering).
- Sharp-edged, pointed, or other objects that could damage the cover must be removed. This applies to both the indoor and outdoor pool areas.

Cover

When selecting the size of the cover, the distance between the water surface and pool edge and the overlap over the pool edge must also be taken into account. Here, it may be advisable to order the next size of the cover.



To use the cover, thread the tensioning rope alternately through all the eye-lets around the cover.

Then pass the tension cable through one opening of the turnbuckle and the turnbuckle drum each and knot them. If necessary, the length of the tensioning rope can be adjusted. Now wind the tensioning rope onto the turnbuckle drum by turning the crank until the rope is sufficiently taut.

The locking latch secures the respective clamping position. If one presses the latch, the tensioning position is released and the cord can be unwound.

Overwintering

Pull the cover over the pool and make sure that it is centred over it. Furthermore, make sure that the cover lies along the inside on the pool edge and fully on the water surface.

- In the case of built-in pools with kerbs, the overhang can be placed over the pool kerbs and the cover secured using the tensioning rope and turnbuckle.
- For built-in pools without curbs, the cover must be weighted down outside the pool.
- In the case of upright pools, the overlapping cover is placed around the edge of the pool.

Make sure that the cover is properly secured or weighted down to prevent the cover from being pulled into the pool in case of high snow loads or strong winds.

Important note:

Reproduction and any commercial use (of parts) of this operating manual, requires a written permission of WilTec Wildanger Technik GmbH.